



CAR CARE

ADDITIVES & SYSTEM CLEANERS

ENGINE OIL SYSTEM



ENGINE PURIFIER

REACTION TIME


- Approx. 15 minutes
- Before every oil change
- All petrol and diesel engines

Engine purifier is a Special cleaner for cleaning sludge and wear products of engine parts, including the most inaccessible elements of the oil system. Product purify and protect the oil system and filter of oil pumps. During the washing process, it provides reliable lubrication, preventing wear of engine parts. Due to the unique composition of detergent-dispersing additives, it guarantees highly effective and safe removal of carbon deposits, including from the bottom of the engine.

PROPERTIES:

Remove the contamination and resin formations in the whole oil system

- Dissolve residues from the combustion process
- Providing high quality anti-friction & wear properties
- Improve and stable compression
- Significantly reduce fuel and oil consumption



ENGINE CARE & PROTECT

REACTION TIME

- Works during operation
- After every oil change
- Easy application without any extra work


Highly efficient additive package provides unique multifunctional effect in engine oil – formulated to improve oil pressure and reduce its consumption in engines with high mileage by 30 % the product reduces soot formation and eliminates exhaust gas smoke.

PROPERTIES:

- Anti-wear components minimize wear on engines with any mileage and extend their service life.
- Improves the stability and strength of the oil film on the rubbing parts of the engine, which facilitates cold start and reduces starting wear.
- Suitable for petrol and diesel engines and all types of engine oils (synthetic, mineral, etc.).
- For improved wear and tear protection qualities of all types of engine oils.
- Ideal lubrication ensures less wear and tear.
- Minimizes friction and prevents against wear & corrosion.
- Improves operational dependability in hot conditions.
- Prevents against fuel dilution in engine oils, particularly during frequently short trips.



ENGINE FLUSH



Engine Flush is effective flushing agent for removing sludge and wear soots residuals of engine parts, including the parts of the oil system. Product purify and protect the oil system and filter of oil pumps. During the washing process, it provides reliable lubrication, preventing wear of engine parts. Due to the unique composition of detergent-dispersing additives, it guarantees highly effective and safe removal of carbon deposits, including from the bottom of the engine.

PROPERTIES:

Remove the contamination and resin formations in the whole oil system

- Dissolve residues from the combustion process
- Providing high quality anti-friction & wear properties
- Improve and stable compression
- Significantly reduce fuel and oil consumption

REACTION TIME

- Approx. 15 minutes
- Before every oil change
- All petrol and diesel engines

ENGINE PROTECTOR



Engine Protector High-tech ceramic wear protection specially developed for large Lycoming and Continental aircraft engines. The lamina graphite-similar structure reduces friction and wear and prevents direct metal-to-metal contact. The < 0.5 μm particle size guarantees optimum filter flow properties and protects against the deposition of solid lubricant particles. Stable even under extreme temperature fluctuations and dynamic permanent loads.

PROPERTIES:

- Excellent wear resistance
- Outstanding emergency-running properties improves the movable seal between piston and cylinder
- Kraftstoffeinsparung
- Higher performance gain
- Friction and wear reducing
- Guarantees consistently good engine performance

REACTION TIME

- Works during operation
- After every oil change
- Easy application without any extra work 300 ml is sufficient for a maximum of up to 8 liters of motor oil.

CERATAR 700

REACTION TIME

- Works during operation
- After every oil change
- Easy application without any extra work

CERATAR 700 is a new generation engine oil additive, which enhance existing products due to advanced technology that utilizes lubricating particles. The product provides very powerful solid lubricants that decrease the coefficient of friction and resist to the highest temperatures. The additive forms an extremely resistant protective film that substantially reduces wear. Even when the engine is not running, this film remains on the internal parts of the engine, ensuring optimum protection during cold starting.

PROPERTIES:

High performance additive

- Reduced wear and tear due to the creation of a stable wear protection layer
- Wear and tear resistant ceramic
- Improved wear protection
- Compatible with all mineral and synthetic engine oils
- Less running noise and reduced exhaust gas emissions
- Increased engine performance and optimized fuel consumption



ENGINE OIL STOP LEAK


REACTION TIME

- Works during operation
- After every oil change
- Easy application without any extra work


Oil Leak-Stop is a special engine oil additive made by using unique technologies. Compatible with any engine oil and suitable for any type of engine. Recommended for extreme operating conditions, high oil consumption and unstable engine operation. Contains a highly effective additive package to stop loss of engine oil caused by leakage helps to maintain engine gaskets and keeps them soft and resilient.

PROPERTIES:

- Modifies the surface structure of piston rings and hydro-compensators.
- Restores elasticity of seals and gaskets.
- Reduces oil flow through the piston rings by maintaining the oil viscosity at the required level.
- Increased engine performance.
- Less wear and tear.
- Reduction of oil loss.
- Improved reliability of operation.



OIL BOOSTER



Highly efficient additive package provides unique multifunctional effect in engine oil – formulated to improve oil pressure and reduce its consumption in engines . the product reduces soot formation and eliminates exhaust gas smoke.

PROPERTIES:


Highly effective additive package for increased wear and tear protection properties of all types of engine oils.

- Reduces wear and tear
- Protects against corrosion
- Prevents from deposits in the oil and lubrication system
- Combats harmful engine acids
- Increases reliability of operation and prolonged life span of all components
- Decreased oil consumption and emissions
- Improved motor performance

REACTION TIME

- Approx. 15 minutes
- Before every oil change
- All petrol and diesel engines

NANO ENGINE SUPER PROTECTION



New technology additive package provides remarkable versatile effect in engine oil – formulated to improve oil properties and reduce its consumption in engines . the product reduces sludge formation and eliminates exhaust gas smoke. Plus reduce the fuel consumption.

PROPERTIES:

Make an extra effective Nano film in the engine oil

- Is recommended for use with turbos, catalytic converters and particulate filter.
- Protects all the internal surfaces of engine and equipment e.g. oil systems, automatic and manual gearboxes, differentials, transfer boxes.
- Keeps the O-rings and shaft seals soft and resilient.
- Prevents wear , tear and corrosion.
- Prevents from deposits in the oil and lubrication system.
- Combats harmful engine acids, increases reliability of operation and prolonged life span of all components, decreased oil consumption and emissions, improved motor performance.


REACTION TIME

- Approx. 15 minutes
- Before every oil change
- All petrol and diesel engines



PETROL SYSTEM

FUEL SYSTEM CLEANER EXTRA



Extreme high-performance cleaner for fuel systems of gasoline engines. It is suitable for all types of gasoline engines , especially for engines equipped with catalytic converters.


PROPERTIES:

- Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits from injectors and valves;
- All other things being equal, increases engine power or restores it in the event of a decrease.
- Eliminates uneven fuel supply, restores smooth operation of the engine at idle.
- Eliminates jerks, starting difficulties and poor engine acceleration caused by uneven fuel injection.
- Can be used to prevent contamination and deposits on injectors and intake valves.
- Reduces fuel consumption by increasing the completeness of its combustion.
- Compatible with all exhaust gas cleaning systems.
- Reduces the toxicity of exhaust gases. Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber.

REACTION TIME

- Works during operation
- Every 6 months or 10000 km
- Easy application without any extra work
- 300 ml for 60 L petrol

PETROL SYSTEM CLEANER & GUARD



High-performance cleaner for fuel systems of gasoline engines. It is suitable for all types of gasoline engines , especially for engines equipped with catalytic converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits from injectors and valves. Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber.

PROPERTIES:

- All other things being equal, increases engine power or restores it in the event of a decrease.
- Eliminates uneven fuel supply, restores smooth operation of the engine at idle.
- Eliminates jerks, starting difficulties and poor engine acceleration caused by uneven fuel injection.
- Can be used to prevent contamination and deposits on injectors and intake valves.
- Reduces fuel consumption by increasing the completeness of its combustion.
- Compatible with all exhaust gas cleaning systems.
- Reduces the toxicity of exhaust gases. Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber.

REACTION TIME

- Works during operation
- Add every 3 months or every 5000 km
- Easy application without any extra work

INJECTOR CLEANER

REACTION TIME

- Improves the engine performance
- Provides a powerful and stable combustion process
- Reduces the fuel consumption and optimizes

General cleaner for fuel systems of gasoline engines suitable for modern and old engines also, applicable for carburettor engines. Developed with the latest generation detergent. Recommended for gasoline engines equipped with exhaust gas cleaning systems.

PROPERTIES:

- Quickly and effectively cleans nozzles, removing carbon deposits, tar and other deposits from needles and nozzles.
- Removes carbon deposits and other deposits from intake valves, valves and combustion chambers.
- Stabilizes the combustion process of gasoline, provides a calm, smooth and complete combustion of fuel.
- Facilitates starting, eliminates jerks and poor engine throttle response, stabilizes idle speed and increases engine power by improving fuel atomization. Reduces the toxicity of exhaust gases.
- Saves fuel, all other things being equal.
- Provides additional lubrication of key components of the fuel system (fuel pump and injectors) and parts of the cylinder-piston group, preventing costly repairs, extending their service life and the life of the engine.
- Protects the fuel system from corrosion.
- Can be used to prevent dirt and deposits on injectors and other parts of the fuel system.



OCTANE BOOSTER

REACTION TIME

- Works during operation
- With every filling
- Easy application without any extra work
- 300 ml for 60 L petrol

A special additive in gasoline that increases the octane number and has detergent properties. Suitable for all types of gasoline and all types of gasoline engines with any number of valves particulate filters and catalysts. Product properties: - -Allows the use of gasoline with an octane rating of up to 5 units below the recommended; - Protects engine parts from knocking, preventing costly repairs.

PROPERTIES:

To increase the octane number of low octane fuels or for use in engines with higher octane requirements up to 5 points.

- Removes deposits on valves and in the combustion chamber and avoids recontamination
- Protects valve seats when running on unleaded petrol
- Improves start and full-load performance
- Ensures stable combustion process and an improved CO-value
- Improves engine performance and operational reliability



OCTANE BOOSTER PLUS



A practical additive in gasoline that increases the octane number and has detergent properties. Suitable for all types of gasoline and all types of gasoline engines with any number of valves particulate filters and catalysts.


PROPERTIES:

- Allows the use of gasoline with an octane rating of up to 8 units below the recommended;
- Protects engine parts from knocking, preventing costly repairs.
- To increase the octane number of low octane fuels or for use in engines with higher octane requirements up to 8 points.
- Removes deposits on valves and in the combustion chamber and avoids recontamination.
- Protects valve seats when running on unleaded petrol.
- Improves start and full-load performance.
- Ensures stable combustion process and an improved CO-value.
- Improves engine performance and operational reliability to increase the octane number of low octane fuels or for use in engines with higher octane requirements up to 8 points.
- Removes deposits on valves and in the combustion chamber and avoids recontamination.
- Protects valve seats when running on unleaded petrol.
- Improves start and full-load performance.
- Ensures stable combustion process and an improved CO-value.
- Improves engine performance and operational reliability

REACTION TIME

- Works during operation
- With every filling
- Easy application without any extra work
- 300 ml for 60 l petrol

PETROL APPLICATOR SPRAY



Special active product for removing typical contamination and deposits found in the intake and throttle valve areas. Loosens and removes contamination such as oil, resin, glue, etc. Ensures the operability of all moving parts and increases the operational reliability of gasoline-powered engines.

PROPERTIES:

- For cleaning and protection of the entire air intake system of petrol engines.
- Removes contamination and resin deposits in the air intake system, combustion chamber, Venturi tube throttle valves, inlet and outlet valves and valve seats.
- Without dismantling of any system parts.
- Reduces fuel consumption and the exhaust gas emission values.
- Ensures smooth idling and powerful and even motor running for the cleaning of the entire air intake system of petrol engines.
- Removes deposits in the air intake system, combustion chamber, throttle valves, inlet and outlet valves and valve seats.
- Especially recommended for insufficient throttle response and compression as well as engine knocking and dieseling.
- Reduces fuel consumption and the exhaust gas emission values the exhaust gas emission values.
- Considerably prolongs the life span of the engine.
- Ensures smooth engine running.

REACTION TIME

- Works during operation
- Easy application without any extra work
- 400ml spray ml

CATA CLEAN PLUS SPRAY

REACTION TIME

- Works during operation
- Easy application without any extra work
- 300 ml for 60 L petrol

Clean the catalytic converter from carbon and soot. Purify intake valves and the combustion chamber. Improves the combustion of the fuel. Clean engines reduce fuel consumption and therefore CO2 emissions. Prevents corrosion in the fuel system.

PROPERTIES:

- New de carbonizing technology.
- Specially developed to exceed the latest environmental standards.
- Dissolves resin, gum and carbon deposits in the entire fuel system oxygen sensor/lambda probe and catalytic converter.
- Regular use helps to prevent heavy contamination.
- Increases fuel efficiency.
- Optimized engine performance.
- Ensures the proper function of the catalytic converter/oxygen sensor 300 ml.



CATALYTIC SYSTEM PURIFIER

REACTION TIME

- Works during operation
- Easy application without any extra work
- 300ml


Clean the catalytic converter from carbon and soot. Purify fuel system and intake valves plus the combustion chamber. Improves the combustion of the fuel. Clean engines reduce fuel consumption and therefore CO2 emissions. Prevents corrosion in the fuel system.

PROPERTIES:

- New decarbonizing technology.
- Specially developed to exceed the latest environmental standards.
- Dissolves resin, gum and carbon deposits in the entire fuel system.
- Oxygen sensor/lambda probe and catalytic converter.
- Regular use helps to prevent heavy contamination.
- Increases fuel efficiency.
- Optimized engine performance.
- Ensures the proper function of the catalytic converter/oxygen sensor.



AIR INTAKE CLEANER PETROL



Special formula for removing typical contamination and deposits found in the intake and area. Loosens and removes contamination such as oil, resin, glue, etc. Ensures the operability of all moving parts and increases the operational reliability of gasoline-powered engines.

PROPERTIES:

- For the cleaning of the entire air intake system of petrol engines.
- Removes deposits in the air intake system, combustion chamber, throttle valves, inlet and outlet valves and valve seats.
- Especially recommended for insufficient throttle response and compression as well as engine knocking and dieseling.
- Reduces fuel consumption and the exhaust gas emission values.
- Ensures smooth idling.

REACTION TIME

- Works during operation
- Every 6 months
- Easy application without any extra work
- 300 ml for 60 l petrol



COOLING SYSTEM

RADIATOR CLEANER & PROTECT



Contains quick-reacting components for removal of operationally caused contamination in the entire cooling circuit

PROPERTIES:

- Dissolves and removes scale.
- Improves the performance of valves, thermostats and water pumps.
- For the operational liability of engines.
- Improved heating and cooling performance.
- Extraordinary anti-corrosion package to improve radiator protection.

REACTION TIME

- Approx. 30 minutes
- With every change of the coolant

RADIATOR SEALANT



Reliably seals critical hairline cracks and small leaks and preventive usageT

PROPERTIES:

- For the operational liability of engines
- Avoids expensive repair works
- Prevents from loss of cooling liquid
- Protects against engine damage


REACTION TIME

- Approx. 10 minutes
- On demand
- 300 ml for up to 12 L



GEAR BOX & POWER STEERING

AUTOMATIC TRANSMISSION PURIFIER



Transmission Flush add extra performance and cleaning effect for the automatic transmissions. Its potent, detergent- based formula cleans sludge and deposit build-up.

In transmissions, deposits can form on clutch plates, causing hesitation and erratic shifting. Ultimately clutch glazing can set in, reducing the life of the transmission. Deposits in engines and transmissions can accelerate wear, causing power loss and increased fuel consumption.


PROPERTIES:

- Prepares transmissions for new oil.
- Removes deposits and sludge for improved efficiency, fuel economy .
- High Detergent-power with environmentally friendly component.
- Compatible with seals and gaskets.
- One-treatment results.
- Easily disposed of with waste oil.
- Removes operationally caused contamination and deposits
- Protects from corrosion and early wear
- Ensures soft shifting with direct response
- For smooth engine running

REACTION TIME

- Approx. 15 minutes
- Before every exchanging of the transmission fluid
- 300 ml for application

AUTOMATIC TRANSMISSION PROTECTOR



Automatic transmission medicine was developed based on the highest requirements and recommendations to enhance and protect vehicles transmission technology. Excellent wear protection and favourable friction behavior. Provides extremely good lubrication properties and outstanding corrosion protection. Prevents frothing.

PROPERTIES:

- Removes operationally caused contamination and deposits.
- Protects from corrosion and early wear.
- Ensures soft shifting with direct response.
- For smooth engine running.

REACTION TIME

- Approx. 30 minutes
- With every change

POWER STEERING FLUID

REACTION TIME

- Works during operation
- Approx. 10 minutes
- On demand
- 300 ml for up to 12 L

Power steering fluid synthetic formula crafted to provide long, trouble-free service in most domestic and foreign passenger cars and light trucks ,delivers excellent lubricity and friction-reduction properties. As a result, power steering pump components and hoses receive maximum protection against wear and stress for long life and reliable performance.

PROPERTIES:

- For use with all power steering fluid exchange machines or services
- For use with all power steering pumps and PSF fluid types
- Cleans away harmful sludge, varnish, gum and deposits
- Prepares power steering pump for new fluid



POWER STEERING CLEAN & PROTECT

REACTION TIME

- Approx. 10 minutes
- On demand
- 300 ml for up to 12 L


Power steering fluid advanced formula designed to provide long, trouble-free service in most domestic and foreign passenger cars and light trucks ,delivers excellent lubricity and friction-reduction properties. As a result, power steering pump components and hoses receive maximum protection against wear and stress for long life and reliable performance.

PROPERTIES:

- For use with all power steering fluid exchange machines or services
- For use with all power steering pumps and PSF fluid types
- Cleans away harmful sludge, varnish, gum and deposits
- Prepares power steering pump for new fluid



GEAR OIL MEDICINE



Automatic transmission medicine was developed based on the highest requirements and recommendations to enhance and protect vehicles transmission technology. Excellent wear protection and favourable friction behavior. Provides extremely good lubrication properties and outstanding corrosion protection. Prevents frothing.

PROPERTIES:

- Maintains the performance of transmission gear systems. Ensures soft shifting with direct response and prompt acceleration. Supports the cleaning effect of the transmission fluid. Protects from corrosion and early wear.

REACTION TIME

- Approx. 30 minutes
- With every change

GEAR EXTRA GUARD MOS2



Excellent antifriction additive with high MoS₂ content and special formulas, it is suitable for all manual motor vehicle transmissions and for axle drives without self-locking differential. Not suitable for automatic transmissions.

Add MoS₂-Antifriction for Gears to the gear oil – mixing takes place automatically during operation. The product is suitable for both mineral- and synthetic-based gear oils. One tube is sufficient for up to 2.5 liters of gear oil. MoS₂-Antifriction for Gears is a stabilized solid lubricant concentrate in mineral oil.

PROPERTIES:

- Good corrosion resistance.
- Excellent chemical resistance.
- Decorative finish.
- Good abrasion resistance.


REACTION TIME

- Approx. 30 minutes
- With every change of the coolant



DIESEL ENGINE ADDITIVES

DIESEL SYSTEM CLEAN & PROTECT



High-performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits from and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption.


PROPERTIES:

- Increased operational reliability
- Deposits and residues of carbon oil and soot are properly dissolved and dispersed
- Ensures lasting lubrication especially for low-sulphur diesel fuels
- Reliably removes operationally caused contamination in the whole fuel system from the tank to the combustion chamber
- Avoids formation of deposits in the injection system

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

DIESEL SYSTEM CLEANER PLUS



Extra performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption

PROPERTIES:

- Absorbs and efficiently removes moisture from the diesel system
- Ensures effective protection of the high-pressure pump
- Provides an optimal fuel atomization
- Lubrication and protection of all fuel carrying parts
- Increased compression
- Improved engine performance
- Reduced fuel consumption and less exhaust emissions
- Especially recommended for extended service intervals

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

AIR INTAKE CLEANER DIESEL

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

High-performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits from and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption.

PROPERTIES:

- Increased operational reliability
- Deposits and residues of carbon oil and soot are properly dissolved and dispersed
- Ensures lasting lubrication especially for low-sulphur diesel fuels
- Reliably removes operationally caused contamination in the whole fuel system from the tank to the combustion chamber
- Avoids formation of deposits in the injection system



DIESEL APPLICATOR SPRAY

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

Extra performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits and valves.


Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption.

PROPERTIES:

- Absorbs and efficiently removes moisture from the diesel system
- Ensures effective protection of the high-pressure pump
- Provides an optimal fuel atomization
- Lubrication and protection of all fuel carrying parts
- Increased compression
- Improved engine performance
- Reduced fuel consumption and less exhaust emissions
- Especially recommended for extended service intervals



CETANE BOOSTER



High-performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits from and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption.

PROPERTIES:

- Increased operational reliability
- Deposits and residues of carbon oil and soot are properly dissolved and dispersed
- Ensures lasting lubrication especially for low-sulphur diesel fuels
- Reliably removes operationally caused contamination in the whole fuel system from the tank to the combustion chamber
- Avoids formation of deposits in the injection system

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

DPF PURIFIER



Extra performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption

PROPERTIES:

- Absorbs and efficiently removes moisture from the diesel system
- Ensures effective protection of the high-pressure pump
- Provides an optimal fuel atomization
- Lubrication and protection of all fuel carrying parts
- Increased compression
- Improved engine performance
- Reduced fuel consumption and less exhaust emissions
- Especially recommended for extended service intervals

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

DPF CLEANING LIQUID

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

High-performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits from and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption.

PROPERTIES:

- Increased operational reliability
- Deposits and residues of carbon oil and soot are properly dissolved and dispersed
- Ensures lasting lubrication especially for low-sulphur diesel fuels
- Reliably removes operationally caused contamination in the whole fuel system from the tank to the combustion chamber
- Avoids formation of deposits in the injection system



DPF AIR JET FLUID

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

Extra performance cleaner for fuel systems of diesel engines. It is suitable for all types of diesel engines, converters. Quickly and effectively cleans fuel system parts, removing carbon, scale, tar and other deposits and valves.

Effective moisture displacement, contaminant removal, and deposit prevention for the complete fuel system, from the tank to the combustion chamber improved engine performance and fuel consumption

PROPERTIES:

- Absorbs and efficiently removes moisture from the diesel system
- Ensures effective protection of the high-pressure pump
- Provides an optimal fuel atomization
- Lubrication and protection of all fuel carrying parts
- Increased compression
- Improved engine performance
- Reduced fuel consumption and less exhaust emissions
- Especially recommended for extended service intervals



SERVICE PRODUCTS



BRAKE CLEANER SPRAY

REACTION TIME

- Approx. 15 minutes
- Before every exchanging of the transmission fluid
- 300 ml for application

Universal cleaner for automotive industry which cleans, degreases, and evaporates without leaving residues. It is used primarily for cleaning surfaces in vehicles and everyday life intended for subsequent processing (gluing, painting, coating, sealants, etc.) Brake Cleaner can be used on brakes (drum and disc brakes, brake pads, brake blocks, cylinders, springs, and bushings), clutches (clutch linings and components) and on engine parts—extends their service life with regular use.

PROPERTIES:

- It removes Oils and degrease particles.
- Fast evaporating without leaving no residues.
- It extends the service life of the parts.
- Suitable for brake disc and brake pads.



MULTI LUBE (ENGINE DEGREASER FOAM SPRAY)

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

It is highly effective degreaser to clean engines run cooler, look better, and last longer. It's foaming action quickly removes dirt, dust and road grime specifically designed for engines with plastic covers, it is safe cleaner on plastics, under-hood rubber and paint.

PROPERTIES:

- No scrubbing required
- Effective cleaner with function of avoiding rust
- Useful to clean uneven and accidental surface such as oil dirt surface of engine, air compressor and other machine.
- Safe on Engine components.
- Safely removes dirt, grime, oil, and grease



PENETRATE SPRAY / ANTI RUST EXTRA



A high-grade lubricating agent based on a mixture of oils and penetrants in a blend of solvents. It has been formulated to offer quick and easy removal of seized and rusted components. Starts wet motors. Penetrates and loosens tight, seized, rusty nuts & bolts. Cleanly lubricates. Stops squeaks and protects against rust invasion. Frees sticky joints.

PROPERTIES:

- Frees Sticky joints.
- Stop squeaks & protects against rust invasion.
- Cleans & Lubricates.
- Can be painted
- Penetrates & loosens tight, seized, rusty nuts & bolts.
- Removes moisture, Starts wet motors
- CFC Free
- Silicone Free

Directly spray or use the nozzle provided on the selected part to achieve the desired results. Best for Automobile, Marine, garage, Home, Industry, Shops.

Compatibility: compatible with Rubber, Plastic and metal surface.

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

WHITE LITHIUM SPRAY



White Lithium grease spray is a premium quality, lithium based multi-purpose aerosol lubricating paste designed to reduce friction between load bearing moving metal surfaces and or the combination of metal and plastic surfaces where required heavy-duty lubrication and protection against rust and corrosion. It provides long lasting lubrication for all metal to metal applications and will not splatter, melt, run, wash off or freeze.

PROPERTIES:

- Excellent rust and corrosion inhibitor
- Premium quality, high durable.
- Multi-purpose, high temperature, long lasting lubricant.
- Quick, convenient spray gets too hard to reach places.
- Interior and exterior application.
- Contains water repellent additives.
- Easy application, aerosol spray for maximum coverage.
- Good oxidation resistance.
- Wide temperature - 15 to 130°C.
- Lubricants moving parts for smooth, squeak-free operation.

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

THROTTLE BODY CLEANER

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

Special composition of cleaning agents

PROPERTIES:

- Also suitable for external and internal cleaning of carburetors
- For repair, assembly and routine maintenance works
- Quick removal of operationally caused deposits (fuel, oil, grease) in the inlet area, at the throttle body and idling control valves without dismantling
- Lubrication of the cleaned parts
- Regular cleaning improves the engine starting properties and reduces the fuel consumption universal.



PENETRATE OIL RUST REMOVER

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

A high-grade lubricating agent based on a mixture of oils and penetrants in a blend of solvents. It has been formulated to offer quick and easy removal of seized and rusted components. Starts wet motors. Penetrates and loosens tight, seized, rusty nuts & bolts. Cleanly lubricates. Stops squeaks and protects against rust invasion. Frees sticky joints.

PROPERTIES:

- Frees Sticky joints.
- Stop squeaks & protects against rust invasion.
- Cleans & lubricates.
- Can be painted
- Penetrates & loosens tight, seized, rusty nuts & bolts.
- Removes moisture, Starts wet motors
- CFC Free



RUST REMOVER & CLEANER PLUS



Rust remover and lubricant Provides a high-grade lubricating agent based on a mixture of oils and penetrants in a blend of solvents. It provides protection from rust and corrosion on metal objects. It has been formulated to offer quick and easy removal of seized and rusted components. Cleanly lubricates Stops squeaks and protects against rust invasion. Frees sticky joints.

PROPERTIES:

- Frees Sticky joints.
- Stop squeaks & protects against rust invasion.
- Cleans & Lubricates.
- Can be painted
- Penetrates & loosens tight, seized, rusty nuts & bolts.
- Removes moisture, Starts wet motors
- CFC Free
- Silicone Free

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

ELECTRICAL CONTACT CLEANER



Specially developed product for cleaning of electrical terminals, switching and plug contacts and other electrical connections.

PROPERTIES:

- Takes care of thorough cleaning of terminals
- Controls oxidation at the various contact points
- Improved contactness
- Reduction of reoxidation and pollution
- Reduces the voltage drop and removes oil and grease permanently
- Remove heavy dirt from the parts to be treated
- Strongly oxidized contacts should be cleaned mechanically

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work

MONTAGE CLEANER

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work

It is highly effective cleaner for any metallic separate part of a vehicle. It is applicable to discs, parts of the clutch and the transmission, tools etc. It removes dirt, oil, grease, brake fluid, other petrochemicals and burnt technical fluids. The cleaner is suitable for cleaning of bodyworks, oil filters, motorcycle chains, engines, tractors, lawn mowers, door hinges.

PROPERTIES:

- Montage Cleaner is a special cleaner for any metallic separate part of a vehicle and the transmission, tools etc.
- It removes dirt, oil, grease, brake fluid, other petrochemicals and burnt technical fluids.
- This product facilitates assemblage, saves time and workload during vehicle repair.
- The cleaner is suitable for cleaning of bodyworks, oil filters, motorcycle chains, engines, tractors, lawn mowers, door hinges.



CRBURETTOR CLEANER

REACTION TIME

- Works during operation
- Add every 6 months to the fuel tank before filling up
- Easy application without any extra work


Highly effective carburetor cleaner without dismantling it. Quickly, carefully, and effectively cleans throttle and air dampers, diffusers, jets, and all other available internal surfaces of carburetors, as well as their external surfaces. Applicable to all two - or four-stroke gasoline engines, with or without catalytic converters.

PROPERTIES:

- It is a mixture of highly effective organic solvents. Does not contain acetone.
- Completely dissolves and removes all typical carburetor contaminants of various origins.
- Does not clog the engine components located behind the carburetor: valves, combustion chamber, etc.
- Stabilizes idle speed, facilitates cold start, improves engine acceleration.
- Reduces fuel consumption (up to 5%) and exhaust gas toxicity.
- Applicable for cleaning motorcycle chains, timing chains, clutch parts, oil pumps, gears, crankshafts and other unpainted metal components and engine parts.



AIRCON CLEANER



It is highly effective cleaner for any metallic separate part of a vehicle. It is applicable to discs, parts of the clutch and the transmission, tools etc. It removes dirt, oil, grease, brake fluid, other petrochemicals and burnt technical fluids. The cleaner is suitable for cleaning of bodyworks, oil filters, motorcycle chains, engines, tractors, lawn mowers, door hinges.

PROPERTIES:

- For professional and efficient cleaning and disinfection of air-conditioning systems
- Kills microorganisms such as bacteria and fungi quickly
- Provides clean and fresh air
- Simple application
- Gives a pleasant and fresh odour in the vehicle interior
- No need for dismantling of the air-conditioning system

REACTION TIME

- Works during operation
- Add every 3 months to the fuel tank before filling up
- Easy application without any extra work




Oststraße 54, 40211 Düsseldorf,
Germany

+491777854511

info@vaultlube.com

www.vaultlube.com



 www.vaultlube.com

